

WE.ARE.THE.IMMERHIN IMMERHIN WUERZBURG AND.WE.PLAY.ROCKNROLL!

Venue Technical Specification

Load in

| | |
|------------------|--|
| Load in address: | Bahnhofplatz 2, 97080 Würzburg |
| Load in details: | Access via Bismarckstraße. Short-term parking during load in possible. |
| Load in times: | By arrangement. |
| Parking: | Please ask. |



Map data © OpenStreetMap contributors

Stage

| | |
|-----------------------|--|
| Size: | Depth approx: 3.8 m Width approx: 3.2 m Height approx: 0.3 m Clearance approx: 2.5 m |
| Power: | 6 x 16A 230V Schuko sockets (Type F, CEE 7/4 plug, CEE 7/7 plug) Several power strips and extension cords available. Please bring your own adapters / converters if you have plugs with different types or voltages! |
| Cable run from stage: | Approx 20 meters to FOH. |

Sound

| | |
|-----------------------|---|
| PA: | 2x PSE Tops 2x PSE B82 Subwoofer 2x PSE PC 4000 Power Amps |
| Monitoring (4 Mixes): | 3x Wedges ACHAT Pro 112M 1x Drumfill Wharfedale Pro Impact 215 Dual 15" |
| FOH (@ back wall): | 1x Midas Venice F32 2x Equalizer DBX Graphic Equalizer 231 (Mains + 2 Monitors) 2x DBX Compressor Gate / Gate 266XL (4 Channels) 1x t.c electronic M-One 1x Behringer Multigate Pro 1x Behringer Multicom |
| Multicore: | 1x 24 CH Input Core / Stage to FOH 1x 8 CH Return Core / FOH to AMPS |
| Mics, Stands, DI: | 1x Audix D6 1x Shure Beta 52A 2x Sennheiser e609 3x Shure sm57 3x Shure sm58 3x EV PL 35 1x AKG D7S 3x Palmer PAN 01 passive DI Stands – short and tall 2x Mic claw LP592A-X 2x Z Right Stuff Z-Bar |

Lights

| | |
|---------------------|---|
| Controller (@ FOH): | Showtec LED Commander Pro |
| Dimmers: | 1x Botex MPX-405 |
| Fixtures: | 4x PAR64 with colour filters (dimmable) 3x Stairville Quad Par Profile 5x8W RGBW |